

1-6. References

Ellis, William H., and Price, Curtis V., 1995, Development of a 14-digit Hydrologic coding scheme and boundary data set for New Jersey, Water-Resources Investigations Report 95-4134, 1 plate.

Hickman, R.E. and Barringer, T.H., 1999. Trends in water quality of New Jersey streams, water years 1986-95: U.S. Geological Survey Water-Resources Investigations Report 98-4204; 174 p. Kauffman, L.J., U.S. Geological Survey, written communication, 2001.

Linsey K.A., Wolcott S.W. and Schoonmaker N.B. 1999 Identification of potential water resources monitoring sites in the Croton Reservoir System, southeastern New York. U.S. Geological Survey Open File Report 97-638; 36p.

Office of Management and Budget, 1987, Standard Industrial Classification Manual: U.S. Government Printing, 548 p.

Opitz, E.M., Steinbeck, J.R.M., and Dziegielewski, Benedykt, 1994, Application of the IWR-MAIN water demand analysis software, version 6.0, selected study areas in the Massachusetts Water Resources Authority service area: Carbondale, Ill., Planning and Management Consultants, Ltd., 112 p.

Reed T.J., DeLuca, M.J., Centinaro, G.L., and Hutchinson, 1996, Water-resources data, New Jersey, water year 1995, v.1—Surface-water data: U.S. Geological Survey Water-Data Report N.J.-95-1, 512 p.

Reed T.J., Centinaro, G.L., DeLuca, M.J., Hutchinson, J.T., and Scudder, J.J., 1997, Water-resources data, New Jersey, water year 1996, v.1—Surface-water data: U.S. Geological Survey Water-Data Report N.J.-96-1, 562 p.

Reed T.J., White, B.T., Centinaro, G.L., Dudek, J.F., Corcino, V., Spehar, A.B., and Protz, A.R. 2002, Water-resources data, New Jersey, water year 2001, v.1—Surface-water data: U.S. Geological Survey Water-Data Report NJ-01-1, 297 p.

Rutledge, A.T., 1998, Computer programs for describing the recession of ground-water discharge and for estimating mean ground-water recharge and discharge from streamflow records—Update: U.S. Geological Survey Water Resources Investigations Report 98-4148, 43 p.

USDA Forest Service, 2002, New York–New Jersey Highlands Regional Study: 2002 Update.

1-7. Bibliography of USGS Reports

New York Highlands

Archer, R. J., and Turk, J. T., 1977, Discharge and water-quality data for selected streams at low flow including some bottom-material analyses, and limnological study of six lakes, Westchester County, New York: U.S. Geological Survey Open-File Report 77-781, 72 p.

Asselstine, E. S., and Grossman, I. G., 1955, The ground-water resources of Westchester County, New York, part 1, records of wells and test holes: New York State Water Power and Control Commission Bulletin GW-35, 79 p.

Ayer, G. R., and Pauszek, F. H., 1968, Streams in Dutchess County, N.Y., their flow characteristics and water quality in relation to planning for the future: New York State Department of Environmental Conservation, Water Resources Commission Bulletin 63, 105 p.

Barnes, C. R., 1986, Method for estimating low-flow statistics for ungaged streams in lower Hudson River basin, New York: U.S. Geological Survey Water-Resources Investigations Report 85-4070, 22 p., 5 figs.

Bugliosi, E. F., and Trudell, R. A., 1988, Potential yields of wells in unconsolidated aquifers in upstate New York--lower Hudson sheet: U.S. Geological Survey Water-Resources Investigations Report 87-4274, 1 sheet, scale 1:250,000.

Butch, G.K., Murray, P.M., Robideau, J.A., Gardner, J.A. 2nd, 2002 Water resources data, New York, water year 2001, Volume 1. Eastern New York, excluding Long Island: U.S. Geological Survey Water-Data Report NY-01-1, 592 p.

Eissler, B. B., 1978, Selected low-flow characteristics of streams in the vicinity of Warwick, Orange County, New York: U.S. Geological Survey Open-File Report 78-811, 21 p.

Frimpter, M. H., 1970, Ground-water basic data, Orange and Ulster Counties, New York: New York State Department of Environmental Conservation, Water Resources Commission Bulletin 65, 93 p.

Frimpter, M. H., 1972, Ground-water resources of Orange and Ulster Counties, New York: U.S. Geological Survey Water-Supply Paper 1985, 80 p.

Garber, M. S., 1985, Effects of increased pumpage on a fractured-bedrock aquifer system in central Orange County, New York: U.S. Geological Survey Water-Resources Investigations Report 84-4348, 27 p.

Grossman, I. G., 1957, The ground water resources of Putnam County, New York: New York State Water Power and Control Commission Bulletin GW-37, 78 p.

Heisig, P. M., 2000, Effects of residential and agricultural land uses on the chemical quality of baseflow of small streams in the Croton Watershed, southeastern New York: U.S. Geological Survey Water-Resources Investigations Report 99-4173, 16 p.

Irwin, D. J., 1988, Thickness and potential well yield of the stratified deposits in the Croton River basin, Putnam County, New York: U.S. Geological Survey Water-Resources Investigations Report 87-4120, 3 sheets.

Linsey, K. S., Wolcott, S. W., and Schoonmaker, N. B., 1999, Identification of potential water-resources-monitoring sites in the Croton Reservoir System, Southeastern New York: U.S. Geological Survey Open-File Report 97-638, 36 p.

Lumia, Richard, 1982, Evaluation of rainfall-runoff data network, Rockland County, New York: U.S. Geological Survey Water-Resources Investigations Report 81-49, 24 p.

Lumia, Richard, 1984, Flood discharge profiles of selected streams in Rockland County, New York: U.S. Geological Survey Water-Resources Investigations Report 84-4049, 32 p.

Lumia, Richard, 1991, Regionalization of flood discharges for rural, unregulated streams in New York, excluding Long Island: U.S. Geological Survey Water Resources Investigations Report 90-4197, 119 p.

Moore, R. B., Cadwell, D. H., Stelz, W. G., and Belli, J. L., 1982, Geohydrology of the valley-fill aquifer in the Ramapo and Mahwah Rivers area, Rockland County, New York: U.S. Geological Survey Open-File Report 82-114, 6 sheets, scale 1:24,000.

Moore, R. B., LaFleur, R. G., and others, 1982, Geohydrology of the valley-fill aquifer in the Sprout and Fishkill Creeks area, Dutchess County, New York: U.S. Geological Survey Open-File Report 82-81, 6 sheets, scale 1:24,000.

Parker, R. A., 1993, Stratigraphic relations of the sedimentary rocks below the Lower Jurassic Orange Mountain Basalt, northern Newark Basin, New Jersey and New York U.S. Geological Survey Miscellaneous Field Investigations Study MF-2208, 1 sheet, scale 1:100,000, in color.

Perlmutter, N. M., 1959, Geology and ground-water resources of Rockland County, New York: New York State Water Power and Control Commission Bulletin GW-42, 133 p.

Reynolds, R. J., 1988, Hydrogeology of the Croton-Ossining area, Westchester County, New York: U.S. Geological Survey Water-Resources Investigations Report 87-4159, 5 plates, scale 1:12,000.

Simmons, E.T., Grossman, I.G., and Heath, R.C., 1961, Ground-water resources of Dutchess County, New York: New York State Water Resources Commission Bulletin GW-43, 82 p.

Snively, D. S., 1980, Ground-water appraisal of the Fishkill-Beacon area, Dutchess County, New York: U.S. Geological Survey Water-Resources Investigations, Open-File Report 80-437, 14 p.

Snow, R. F., and Wolcott, S. W., 1992, Estimated thickness and potential well yield of stratified-drift deposits in selected areas of northern Westchester County, New York: U.S. Geological Survey Water-Resources Investigations Report 91-4030, 6 plates, scale 1:24,000.

Thompson, D. G., and Harrington, A. W., 1935, Ground-water conditions along Croton River below New Croton Dam, New York: U.S. Geological Survey open-file report, 57 p.

Wall, G. R., Riva-Murray, Karen, and Phillips, P. J., 1998, Water Quality in the Hudson River Basin, New York and Adjacent States, 1992-95: U.S. Geological Survey Circular 1165, 32 p.

Waller, R. M., 1979, Ground-water appraisal for the community of Kiryas Joel, Orange County, New York: U.S. Geological Survey Open-File Report 79-0401, 23 p.

Waller, R. M., and Finch, A. J., 1982 Atlas of eleven selected aquifers in New York: U.S. Geological Survey Water Resources Investigations Open-File Report 82-553, 255 p.

Williams, J. H. and Conger, R. W., 1990, Preliminary delineation of contaminated water-bearing fractures intersected by open-hole bedrock wells: Ground Water Monitoring Review, v. 10, no. 4, p. 118-126.

Wolcott, S. W., 1987, Potential well yields from unconsolidated deposits in the lower Hudson and Delaware River basins, New York: U.S. Geological Survey Water-Resources Investigations Report 87-4042, 1 sheet.

Wolcott, S. W., and Irwin, D. J., 1988, Estimated thickness and potential well yield of stratified-drift deposits in the upper Croton River basin, Westchester County, New York: U.S. Geological Survey Water-Resources Investigations Report 87-4287, 6 sheets.

Wolcott, S. W., and Snow, R. V., 1995, Computation of bedrock-aquifer recharge in northern Westchester County, New York, and chemical quality of water from selected bedrock wells: U.S. Geological Survey Water-Resources Investigations Report 92-4157, 57 p.

New Jersey Highlands

Anderson, P.W. and Faust, S.D., 1974, Water quality and streamflow characteristics, Raritan River basin, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 14-74, 82 p.

Baehr, A.L., and Reilly, T.J., 2001, Water quality and occurrence of Methyl tert-butyl ether (MTBE) and other fuel-related compounds in lakes and ground water at lakeside communities in Sussex and Morris Counties, New Jersey, 1998-1999: U.S. Geological Survey Water-Resources Investigations Report 01-4149, 86 p.

Baehr, A.L. and Zapecza, O.S., 1998, Methyl tert-butyl ether (MTBE) and other volatile organic compounds in lakes in Byram Township, Sussex County, New Jersey, summer 1998: U.S. Geological Survey Water-Resources Investigations Report 98-4264, unpaginated.

Baker, D.R. and Buddington, A.F., 1970, Geology and magnetite deposits of the Franklin quadrangle and part of the Hamburg quadrangle, New Jersey: U.S. Geological Survey Professional Paper 638, 73 p.

Barringer, T.H., Reiser, G. and Price, C., 1994, Potential effects of development on flow characteristics of two streams in the Raritan River Basin, New Jersey: Water Resources Bulletin, v. 30, no. 2 283-295.

Buxton, D.E., Hunchak-Kariouk, Kathryn and Hickman, R.E., 1999, Relations of surface-water quality to streamflow in the Walkkill and upper Delaware River Basins, New Jersey and vicinity, water years 1976-93: U.S. Geological Survey Water-Resources Investigations Report 99-4016, 98 p.

Buxton, D.E., Hunchak-Kariouk, Kathryn, and Hickman, R.E., 1999, Relations of surface-water quality to streamflow in the Raritan River Basin, New Jersey, water years 1976-93: U.S. Geological Survey Water-Resources Investigations Report 99-4045, 109 p.

Buxton, D.E., Hunchak-Kariouk, Kathryn, Hickman, R.E., 1998, Relations of surface-water quality to streamflow in the Hackensack, Passaic, Elizabeth, and Rahway River Basins, New Jersey, water years 1976-93: U.S. Geological Survey Water-Resources Investigations Report 98-4049, 102

Carswell, L.D. and Rooney, J.G., 1976, Summary of geology and ground-water resources of Passaic County, New Jersey: U.S. Geological Survey Water- Resources Investigations Report 76-75, 47 p.

Czarnik, T.S. and Kozinski, Jane, 1994, Ground-water quality in the central part of the Passaic River Basin, northeastern New Jersey, 1959-88: U.S. Geological Survey Water-Resources Investigations Report 92-4083, 66 p.

- Davis, R.E., Drake, Jr., A.A. and Epstein, J.B., 1967, Geologic map of the Bangor quadrangle, Pennsylvania-New Jersey: U.S. Geological Survey Geologic Quadrangle Map 665, 1 sheet, scale 1:24,000.
- DeLuca, M.J., Mattes, G.L., Burns, H.L., 2001, Water resources data for New Jersey-water year 2000, Volume 3. Water-quality data: U.S. Geological Survey Water-Data Report NJ-00-3, 618 p.
- Drake, Jr., A.A., 1967, Geologic map of the Bloomsbury quadrangle, New Jersey: U.S. Geological Survey Geologic Quadrangle Map 595, 1 sheet, scale 1:24,000.
- Drake, Jr., A.A., 1967, Geologic map of the Easton quadrangle, New Jersey-Pennsylvania: U.S. Geological Survey Geologic Quadrangle Map 594, 1 sheet, scale 1:24,000.
- Drake, Jr., A.A. and Lyttle, P.T., 1985, Geologic map of the Blairstown quadrangle, Warren County, New Jersey: U.S. Geological Survey Geologic Quadrangle Map 1585, 1 sheet, scale 1:24,000.
- Drake, Jr., A.A., McLaughlin, D.B. and Davis, R.E., 1967, Geologic map of the Riegelsville quadrangle Pennsylvania-New Jersey: U.S. Geological Survey Geologic Quadrangle Map 593, 1 sheet, scale 1:24,000.
- Drake, Jr., A.A. and Volkert, R.A., 1993, Bedrock geologic map of the Newton East quadrangle, Sussex County, New Jersey: U.S. Geological Survey Geologic Quadrangle Map 1707, 1 sheet, scale 1:24,000.
- Drake Jr., A.A., Volkert, R.A., Monteverde, D.H., Herman, G.C., Houghton, H.F., Parker, R.A. and Dalton, R.F., 1996, Bedrock geologic map of northern New Jersey: U.S. Geological Survey Miscellaneous Investigations Series Map I-2540-A, 2 sheets, scale 1:100,000.
- Dunne, Paul and Tasker, Gary, 1996, Computer model of Raritan River Basin water-supply system in central New Jersey: U.S. Geological Survey Open-File Report 96-360, 62 p.
- Dunne, Paul and Tasker, Gary, 1996, Managing drought risk with a computer model of the Raritan River Basin water-supply system in central New Jersey: U.S. Geological Survey Fact Sheet FS-206-96.
- Gill, H.E. and Vecchioli, John, 1965, Availability of ground water in Morris County, New Jersey: New Jersey Department of Conservation and Economic Development Special Report 25, 56 p.
- Gill, H.E., Vecchioli, John and Bonini, W.E., 1965, Tracing the continuity of Pleistocene aquifers in northern New Jersey by seismic methods: Ground Water, v. 3, no. 4, October 1965.

Gordon, Alison D., 1995, Hydrogeology of, and simulated ground-water flow in, the valley-fill aquifers of the upper Rockaway River Basin, Morris County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 93-4145, p. 74.

Gordon, Alison D., 2002, Simulation of transient ground-water flow in the valley-fill aquifers of the upper Rockaway River Basin, Morris County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 01-4174, p. 47. Harte, P.T., Sargent, B.P. and Vowinkel, E.F., 1986, Description and results of test-drilling program at Picatinny Arsenal, New Jersey, 1982-84: U.S. Geological Survey Open-File Report 86-316, 54 p.

Hill, M.C., Lennon, G.P., Brown, G.A., Hebson, C.S. and Rheame, S.J., 1992, Geohydrology of, and simulation of ground-water flow in, the valley-fill deposits in the Ramapo River Valley, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 90-4151, 92 p., 4 pls.

Horwitz, G.M. and Anderson, P.W., 1966, Time-of-travel measurements on the Passaic and Pompton Rivers, New Jersey: U.S. Geological Survey Professional Paper 550-B, Chap. B, p. B199-B203.

Jones, W.D., 2001, Water resources data for New Jersey-water year 2000, Volume 2. Ground-water data: U.S. Geological Survey Water-Data Report NJ-00-2, 233 p.

Lacombe, P.J. and Duran, P.D., 1988, Map of bedrock-surface topography in parts of the Paterson and Pompton Plains quadrangles, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 88-4061, 1 sheet.

Lacombe, P.J., Sargent, B.P., Harte, P.T. and Vowinkel, E.F., 1986, Determination of geohydrologic framework and extent of ground-water contamination using surface geophysical techniques at Picatinny Arsenal, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 86-4051, 31 p.

Lyttle, P.T. and Epstein, J.B., 1987, Geologic map of the Newark 1 x2 quadrangle, New Jersey, Pennsylvania, and New York: U.S. Geological Survey Miscellaneous Investigations Map 1715, 2 sheets, scale 1:250,000

McAuley, S.D., Nicholson, R.S., Barringer, J.L. and Blyskun, G.J., 1992, Plan to evaluate the hydrogeology of the valley-fill and carbonate-rock aquifers near Long Valley in the New Jersey Highlands: New Jersey Geological Survey Open-File Report 92-3, 24 p.

Meisler, Harold, 1976, Computer simulation model of the Pleistocene valley-fill aquifer in southwestern Essex and southeastern Morris Counties, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 76-25 (changed to Water-Resources Investigations Report 83-4028), 70 p.

Nicholson, R.S., McAuley, S.D., Barringer, J.L. and Gordon, A.D., 1996, Hydrogeology of, and ground-water flow in, a valley-fill and carbonate-rock aquifer system near Long Valley in the New Jersey Highlands: U.S. Geological Survey Water-Resources Investigations Report 93-4157, 159 p., 3 pls.

Nicholson, R.S. and Watt, M.K., 1998, Simulation of ground-water-flow patterns and areas contributing recharge to streams and water-supply wells in a valley-fill and carbonate-rock aquifer system, southwestern Morris County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 97-4216, 40 p.

Philips, M.O. and Schopp, R.D., 1986, Flood of April 5-7, 1984 in northeastern New Jersey: U.S. Geological Survey Open-File Report 86-423W, 112 p.

Price, Curtis V. and Schaefer, Frederick L., 1995, Estimated loads of selected constituents from permitted and nonpermitted sources at selected surface-water-quality stations in the Musconetcong, Rockaway, and Whippany River Basins, New Jersey, 1985-90: U.S. Geological Survey Water-Resources Investigations Report 95-4040, p. 28.

Reed, T.J., Centinaro, G.L., Dudek, J.F., Corcino, V., and Steckroat, G.C., 2001, Water resources data for New Jersey-water year 2000, Volume 1. Surface-water data: U.S. Geological Survey Water-Data Report NJ-00-1, 233 p.

Reiser, R.G., 2002, Quality of water in tributaries to the upper Delaware River, New Jersey, water years 1985-2001: U.S. Geological Survey Fact Sheet FS-090-02, unpaginated.

Reiser, R.G., and Schopp, R.D., 2001, Sparta, New Jersey, flood of August 11-14, 2000: U.S. Geological Survey Fact Sheet FS-104-01, unpaginated.

Reiser, R.G., and Schopp, R.D., 2002, Sparta, New Jersey, flood of August 11-14, 2000: U.S. Geological Survey Water-Resources Investigations Report 02-4099, p. 88.

Rice, D.E. and Voronin, L.M., 1997, Analysis of ground-water flowpaths near water-supply wells, Picatinny Arsenal, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 96-4228, 26 p.

Robinson, K.W., Price, C.V. and Smith, R.A., 1995, Development of a computerized data base of permitted wastewater discharges in New Jersey: U.S. Geological Survey Open-File Report 95-152, 14 p.

Sargent, B.P., Green, J.W., Harte, P.T. and Vowinkel, E.F., 1986, Ground- water-quality data for Picatinny Arsenal, New Jersey, 1958-85: U.S. Geological Survey Open-File Report 86-58, 66 p.

Schaefer, F.L., Harte, P.T., Smith, J.A. and Kurtz, B.A., 1993, Hydrologic conditions in the upper Rockaway River basin, New Jersey, 1984-86: U.S. Geological Survey Water-Resources Investigations Report 91-4169, 103 p., 2 pls.

Spitz, F.J., and Nicholson, R.S., 2001, Simulated effects of alternative pumping strategies on ground-water-flow patterns and areas contributing recharge to selected wells near Kenil, Morris County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 01-4180, 32 p.

Storck, D.A., 1994, Hydrology of, and water quality in, the Open Burning Area and vicinity, Picatinny Arsenal, New Jersey, 1989-90: U.S. Geological Survey Water-Resources Investigations Report 92-4134, 69 p.

Storck, D.A. and Lacombe, P.J., 1996, Streambed-material characteristics and surface-water quality, Green Pond Brook and tributaries, Picatinny Arsenal, New Jersey, 1983-90: U.S. Geological Survey Water-Resources Investigations Report 95-4246, 66 p., 2 pls.

Storck, D.A., and Nawyn, J.P., 2001, Reconstruction of streamflow records in the Passaic and Hackensack River Basins, New Jersey and New York, water years 1993-96: U.S. Geological Survey Water-Resources Investigations Report 01-4078, 95 p.

Summer, W.M., 1998, Passaic Flood Warning System: U.S. Geological Survey Fact Sheet FS-092-98.

Vecchioli, John and Miller, E.G., 1973, Water resources of the New Jersey part of the Ramapo River basin: U.S. Geological Survey Water-Supply Paper 1974, 77 p.

Vecchioli, John and Nichols, W.D., 1966, Results of the drought-disaster test-drilling program near Morristown, N.J.: New Jersey Department of Conservation and Economic Development Water-Resources Circular 16, 48 p.

Vecchioli, John, Nichols, W.D. and Nemickas, Bronius, 1967, Results of the second phase of the drought-disaster test-drilling program near Morristown, N.J.: New Jersey Department of Conservation and Economic Development Water-Resources Circular 17, 23 p.

Voronin, L.M. and Rice, D.E., 1996, Hydrogeology and simulation of ground-water flow, Picatinny Arsenal and vicinity, Morris County, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 96-4061, 64 p.